

## Carnation Twirly Skirt



What little kid can resist a fun twirly skirt? With layers of fabric spread out, this cute and colorful skirt resembles a carnation and your little one will love it! By using a serger, this skirt is quick and easy to sew, as the serger ruffling foot creates voluminous ruffles, adding to the spin factor for this project!

**Skill Level: Intermediate** 

Created by: Evy Hawkins, A Bit of Stitch

## Supplies:

Baby Lock Serger Serger Ruffling Foot Baby Lock Sewing Machine

Piece of 1.5-2"-wide elastic the measurement of the child's waist minus one inch

Narrow Hem Foot (optional)

Serger thread in coordinating color

Self-healing mat

Rotary cutter or scissors

Basic sewing supplies

38-40 strips of fabric 2.5-3" x WOF (jelly roll-width)

## **Instructions:**

- 1. For a skirt that fits a three- to four-year-old, line up the following fabrics. For a taller or shorter child, add or subtract rows as needed:
  - Row 1 1 strip
  - Row 2 2 strips
  - Row 3 3 strips plus about 12 inches
  - Row 4 6 strips less about 10 inches
  - Row 5 10 strips less about 6 inches
  - Row 6 15 strips plus about 22 inches
- 2. Serge the strips in each row together (short end to short end) to make one long strip for that row. A four-thread overlock stitch works nicely.
- 3. Serge the first (single strip) row along one long edge. Narrow hem or narrow roll hem the last row along one long edge.
- 4. Arrange the fabric strip rows in order on your table.
- 5. Attach the ruffling foot to your serger and follow the directions found in the package with the foot to set up the machine correctly for ruffling. The ruffling foot works by serging two strips together while gathering the one underneath the foot.
- 6. To begin, insert Row 2's strip RIGHT SIDE UP under the foot. You may find it helpful to raise the foot, gently tug up the toe of the foot and push the fabric under it. Put Row 1 into the slot on top of the ruffling foot WRONG SIDE UP with the finished serged edge on the left.
- 7. Crank the fly wheel a few times to take a few stitches to secure the two rows of strips together. As you ruffle, take care that you do not hold back on the fabric especially the fabric under the foot. Try not to cut off more than a whisker as you serge.
- 8. Add Row 3. Remember that this one will be RIGHT SIDE UP under the foot with Row 2's ruffle WRONG SIDE UP in the slot on top of the ruffling foot.
- 9. At your sewing machine, straight stitch along the top of each row of serging to firmly secure the ruffles. You can either attach all the rows and then sew those lines of stitching or do it as you go.
- 10. Repeat the process, row by row, until you are finished. The final row you add will be the narrow hemmed row. Make sure you have that piece under the foot with the narrow hemmed edge on the left.
- 11. If some of your rows do not end up flush with the row above or below, trim it off evenly along that side. Don't worry your skirt will still be plenty full!
- 12. Measure around your child's waist and subtract one inch. Cut a piece of 1.5" or 2" wide elastic to match this length.
- 13. Mark the top edge of the skirt to divide it into 8-10 equal parts. Then divide the elastic into the same amount of equal parts. Pin the elastic to the skirt, right sides together, so that the skirt is distributed evenly on the elastic.

- 14. Serge the elastic to the skirt, gently stretching the elastic as you serge from marked point to point to fit the two together neatly. For best results, turn the blade to the down position so you do not cut off any of the elastic.
- 15. Align the ends of the elastic and each row of ruffles down to the hem. Pin right sides together and serge the skirt back seam. At your sewing machine, sew along the serging to further secure the seam. Fold the seam allowance of the elastic over to one side, neatly tucking the serge tail beneath it, and top stitch in place to secure. Do the same for the seam allowance at the hem.

For other exciting projects like this one, visit Baby lock at www.babylock.com.

©2018 Baby Lock USA. This project may be freely used by individuals for non-commercial purposes. Project instructions may not be sold or distributed without approval from Baby Lock. Baby Lock must be acknowledged as the source of the project instructions through copyright or online link