

## **LOVELY LACE PETTICOAT**

## What You'll Need

- Baby Lock® Serger and Baby Lock Sewing Machine
- Baby Lock® Elastic Serger Foot (BLE8-EF)
- 4 cones Madeira® Aerolock Premium Serger Thread to match
- Madeira® Aerofil Sewing Thread to match
- 60" of lining fabric
- 4 yards of tulle or netting (stiff netting for fuller or soft tulle for less full petticoat)
- 1" Soft braided elastic for the waistband
- Optional: About 5 to 6 yards of 1" wide (or smaller) lace for skirt hem
- Optional: Baby Lock® Lace Applicator Foot (BLE8-LF)
- FINE disappearing ink marking pen
- 5-in-1 Sliding Gauge

For settings, refer to your Serger Guide and Manual for the 4-thread overlock, 3-thread flatlock (for hemming instead of lace application), cover stitch, and feet instructions.


## **Directions**

1. Measure from child's hip (where she'd wear a skirt) to the ground. Subtract about 3" from that measurement to get your skirt length. Then, measure around the hips (where the waistband will sit) and this will be the circumference for the waist. Take that circumference measurement, add 2 inches and divide by 6.28 (learned from Simple Simon and Company.) to get your waist circle radius answer. Add a ¼" to that (because we need to build in a seam) and you get your **NEW** answer for the waist circle radius. Using that **NEW** waist circle radius measurement and your measuring gauge (or measuring tape and continually marking), mark from the center point down, creating a fourth circle.





2. Cut that piece out from the corner. Make several markings from that curved waistline to the desired skirt length, creating a second circle using a tape measure or ruler. Cut along that line.





Make one straight cut from the hem to the waist. This will create your **CENTER BACK** seam. Mark your center front with a marking pen.

When you open up the entire skirt and it looks like a donut, you've done it correctly!





- 3. To cut the netting, leave it folded widthwise. Then, fold it over several times lengthwise and with a rotary cutter, cut about an inch off to make it even. Measure over and cut your preferred length. I cut my netting about 6" less than the length of my skirt. You should have two very long strips (approx. four yards each) of netting/tulle.
- 4. Now let's move on to putting all these pieces together! Follow the construction instructions to get started!

## CONSTRUCTION

5. Hem your circle skirt with either a 3-thread flatlock (follow the curve, cutting none or about a ½" off, and it's hemmed!) OR, use the lace applicator foot and 4-thread overcasting stitch to trim the hem with lace. Flip lace down and press.





6. Next, take your two long strips of netting, each being roughly four yards long. Sew the two strips together at one seam. Serge the upper edge with a 4-thread overcasting stitch and gather the ruffle with the two needle threads.



7. On your skirt lining fabric, measure from the hem to 1" longer than the length of your netting and mark several times around. You want the netting to sit shorter than the length of the skirt lining so the netting won't irritate the wearer's feet.



and add a couple inches. After inserting the elastic into the elastic serger foot, adjust the tension screw to full tension. Place foot and elastic on machine. Set your stitch width to the widest. Insert fabric under foot and serge with a 4-thread overlock stitch. Trim excess elastic.

9. Measure elastic around the child

11. Secure serger thread tails. Stitch the elastic down to one side, and you're done!



8. Pin your ruffle evenly with the marks you just made. Match up the open seam of the ruffled netting with the open slit of the skirt and match your center fronts. Pin gathers evenly. Stitch the ruffle to the skirt using a cover hem on your serger.

It's typically not recommended to use pins with a serger, so make sure to remove all pins before they even get close to the foot!



10. Replace standard serger foot. Open elastic out and serge the center back seam. Try the petticoat on the child and take in the center back seam at the waist, if necessary. One last step, and you're almost finished!

