

*Ellisima<sup>®</sup> & Ellisima<sup>®</sup>* <sup>GOLD</sup>

## Embroidery Upgrade III

### Quick Reference Guide for Embroidery Pattern Connection by Camera

Model BLSO-BF2



FOR THE LOVE OF SEWING

Baby Lock Consumer Helpline: 800-313-4110

[www.babylock.com](http://www.babylock.com)

Thank you for choosing our Baby Lock product.

For additional Baby Lock product information and updates, visit our website at [www.babylock.com](http://www.babylock.com).

Information found in this guide is current at the time of printing. Please be aware that some contents of this manual and product specifications are subject to change without notice. The examples used throughout this guide use numbers for a representation of embroidery designs.

## **Quick Reference Guide for Embroidery Pattern Connection Using the Camera**

This guide is designed as a step-by-step quick reference on how to achieve pattern connection variations when using the camera to connect embroidery patterns. Each page shows a different pattern variation and the steps to achieve it. Vertical, horizontal, diagonal, corners and other specialty layouts are easily possible when following this guide. Use the sliding function to create pinwheel type pattern repeats. Manual rotation instructions allow you to control the pattern direction, when turning corners.



**FOR THE LOVE OF SEWING**

## Quick Reference Guide for Embroidery Pattern Connection Using the Camera

1) Select "Embroidery Edit"

2) Select (1<sup>st</sup>) Design

3) Press "Set"

4) Press "Sewing"




5) Press Select position where (2<sup>nd</sup>) design is to be placed

6) Press "Close"



7) Stitch design

8) "◆" Message: Embroidering if Finished.... Press "OK"



9) Affix positioning stickers one at a time




10) Re-hoop leaving stickers in place

11) Select (2<sup>nd</sup>) Design

12) Press "Set"

**13)** Press "Sewing"



**14)** Select placement of (2<sup>nd</sup>) design (Shown in red)

**15)** Press "OK"



**16)** Select quadrant (where positioning stickers are located) and scan



**17)** Remove positioning stickers

**18)** Press "Close"



**19)** Select the side and placement where you want the (3<sup>rd</sup>) design connected to the previous design

**20)** Press "Close"




**21)** Stitch (2<sup>nd</sup>) design


**22)** Repeat procedure from "◆"

**Manual Rotation Note:** If you have a design that is rotated, that rotation needs to be done right after the design has been selected


# 1





## # 2



# # 3




# # 4







# # 5



## # 6




# # 6 Manual Rotation







# # 7





# 8




**# 9**



## # 9 Manual Rotation




## # 10










**# 11**




## # 11 Manual Rotation







# # 12





# # 13







10.7mm



# # 13 Manual Rotation



10.7mm



# Notes:



**FOR THE LOVE OF SEWING**

[www.babylock.com](http://www.babylock.com)